

Response to Amendment

The reply filed on 9/19/08 is not fully responsive to the prior Office Action because of the following omission: While the Applicant has elected a particular group and species (Group I, Species I), the Applicant has not elected a particular sub-species (Sub-Species A as shown in Figure 7a or Sub-Species B and shown in Figure 7b). Since either of the applicators shown in Figures 7a and 7b can be used with the device disclosed in Figure 1 (Species I), a particular sub-species should be elected in order for the response to the restriction requirement to be complete. See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David J. Walczak whose telephone number is 571-272-4895. The examiner can normally be reached on Mon-Thurs, 6:30- 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Huson Gregory can be reached on 571-272-4887. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3751

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

David J. Walczak
Primary Examiner
Art Unit 3751

DJW
11/10/08

/David J. Walczak/
Primary Examiner, Art Unit 3751